

RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number: 10/563,336

Source: IFWP

Date Processed by STIC: 1/13/06

ENTERED



IFWP

RAW SEQUENCE LISTING DATE: 01/13/2006
 PATENT APPLICATION: US/10/563,336 TIME: 09:51:12

Input Set : A:\304557_Sequence_Listing.txt
 Output Set: N:\CRF4\01132006\J563336.raw

```

3 <110> APPLICANT: Matsushima, Kouji
4     Nishiwaki, Tetsu
5     Yoneyama, Hiroyuki
7 <120> TITLE OF INVENTION: REMEDY FOR SARCOIDOSIS AND METHOD OF TREATING THE SAME
9 <130> FILE REFERENCE: 051009/304557
C--> 11 <140> CURRENT APPLICATION NUMBER: US/10/563,336
C--> 12 <141> CURRENT FILING DATE: 2006-01-03
14 <160> NUMBER OF SEQ ID NOS: 2
16 <170> SOFTWARE: PatentIn version 3.1
18 <210> SEQ ID NO: 1
19 <211> LENGTH: 22
20 <212> TYPE: DNA
21 <213> ORGANISM: Artificial
23 <220> FEATURE:
24 <223> OTHER INFORMATION: forward primer
26 <400> SEQUENCE: 1
27 gcgtgagtga cggtaatggg ta                                22
30 <210> SEQ ID NO: 2
31 <211> LENGTH: 18
32 <212> TYPE: DNA
33 <213> ORGANISM: Artificial
35 <220> FEATURE:
36 <223> OTHER INFORMATION: reverse primer
38 <400> SEQUENCE: 2
39 ttccgacgcg atcaacca                                18

```

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 01/13/2006
PATENT APPLICATION: US/10/563,336 TIME: 09:51:13

Input Set : A:\304557_Sequence_Listing.txt
Output Set: N:\CRF4\01132006\J563336.raw

Invalid <213> Response:

Use of "Artificial" only as "<213> Organism" response is incomplete,
per 1.823(b) of New Sequence Rules. Valid response is Artificial Sequence.

Seq#:1,2

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/563,336

DATE: 01/13/2006

TIME: 09:51:13

Input Set : A:\304557_Sequence_Listing.txt

Output Set: N:\CRF4\01132006\J563336.raw

L:11 M:270 C: Current Application Number differs, Replaced Current Application Number

L:12 M:271 C: Current Filing Date differs, Replaced Current Filing Date